



WOLF



CE

Wolfloader.com


WHEEL LOADER

WL280



Specifications

Engine Model:	YTO YT4A4Z-24
Rated Power(kw):	85
Rated Speed(rpm):	2400
Rated load(kg):	2800
Rated Bucket Capacity(m3):	1.2-1.5
Overall Size LxWxH(mm):	6500×2100×3050
Wheel base (mm):	2530
Wheel thread(mm):	2000
Max.breakout force (KN):	112
Max.dump height(mm):	3600
Dump distance(mm):	1084
Total time(s):	9.3
Operating Weight(kg):	6500
Tyre:	16/70-24



DESCRIPTION

With these loaders, low overhead also applies to maintenance. Their lockable easy-open tilting hoods provide convenient, ground-level access to daily checkpoints, as well as periodic service items such as fluids and filters. What's more, environmentally friendly drains, extended service intervals, and sight gauges help keep maintenance simple and inexpensive.





QINGDAO ZONGJIN ENGINEERING MACHINERY CO.,LTD. [MAINLAND]

WOLF EQUIPMENT PTE.LTD. [SINGAPORE]



TEL: 0086-532-66739792

FAX: 0086-532-66739791

info@chinawheelloaders.com

WHATSAPP: 0086-13589171650

NO.88 CHUNYANG RD,CHENGYANG,
QINGDAO,CHINA

www.wolfloader.com